



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/784,045	02/20/2004	Jim D. Meador	32849	6833

7590 05/10/2005

Hovey Williams LLP  
Suite 400  
2405 Grand Blvd.  
Kansas City, MO 64108

EXAMINER

MOORE, MARGARET G

ART UNIT	PAPER NUMBER
----------	--------------

1712

DATE MAILED: 05/10/2005

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT and TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND  
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
WWW.USPTO.GOV

Mailed:

RPG

Paper No. 5/9/05

*In re* Application of Meador et al.

Serial No.: 10/784,045

Filed: February 20, 2004

**DECISION ON PETITION  
UNDER 37 CFR 1.48(a)**

For: THERMALLY CURABLE MIDDLE LAYER FOR  
193-NM TRILAYER RESIST PROCESS

This is a decision on the PETITION TO CORRECT INVENTORSHIP, filed December 2, 2004 to correct inventorship under 37 CFR 1.48(a) by deleting the names of Denise Gum and Julie Wilson from the list of inventors of the instant application.

It is noted that the applicant has met the requirements of 37 C.F.R. § 1.48(a) by (1) submitting a request to correct the inventorship that sets forth the desired inventorship change; (2) providing a statement from each person being deleted as an inventor that the error in inventorship occurred without deceptive intention on his or her part; (3) providing a declaration of the actual inventors as required by 37 C.F.R. § 1.63; (4) providing the processing fee set forth in 1.17(i); and, (5) providing the written consent of the assignee.

The request is **GRANTED**.

The application file is being forwarded to the appropriate section of the Patent and Trademark Office for correction of the record.

A handwritten signature in cursive script, reading "Randy Gulakowski", is written over a horizontal line.

Randy Gulakowski  
Supervisory Patent Examiner  
Art Unit 1712  
Technology Center 1700

Hovey Williams LLP  
Suite 400  
2405 Grand Blvd.  
Kansas City, MO 64108